

## **Boom Lift License Richmond Hill**

Boom Lift License Richmond Hill - Just completely licensed individuals must operate an aerial boom lift. Qualification can be obtained through a combination of sessions in the classroom and practical training with the particular kind of aerial lift which will be used on the job. A License is required for any person who operates or works on an aerial boom lift.

Various kinds of vehicle-mounted aerial devices comprise aerial ladders, extensible boom platforms, vertical towers, articulating boom platforms, and whatever combination of these kinds.

When using a boom lift, there are a few basic safety regulations which apply to all boom lifts. Safety of the worker is a top priority while they are working within the basket. The worker should at all times put on a body harness and lanyard, attaching it to the basket or boom. Never tie off to an equipment, an adjacent pole or a structure. Workers must stand on the floor of the basket, and never sit or climb on the basket edge. The load restrictions of the manufacturer should be followed.

Lift operators have to be authorized to operate an aerial lift. The manufacturer's instruction manual should be kept inside the lift and the operator should know all aspects of that particular unit. Operators are responsible for making certain that safety procedures are followed in operating the lift. A daily test of lift controls should be carried out. Position outriggers and set brakes (if they are used) on a stable surface or on pads. When working on a slope, use wheel chocks.

The aerial lift vehicle must never be moved whilst a worker is within the basket of an elevated boom, unless they are using machines that are particularly designed for this. Extensible boom platforms and articulating boom used as personnel carriers must have accessible, plainly marked, upper controls. Except in emergency situations, lower controls should not be used to override upper controls unless the person inside the lift gives consent.

Do not wear tree or pole climbers shall whilst working from an aerial lift.

Do not alter the insulated portion of the aerial lift.

Make certain that the booms are thoroughly inspected, that the machinery is correctly cradled and the outriggers are in the stowed position prior to moving.

Make certain that lifts being utilized in or near power lines are di-electrically tested and conform to local regulations.